

ATO

Antimony Tin Oxide Dispersion

Antimony Tin Oxide (ATO) is a well-known optically transparent, infrared light insulating, and electrically conducting oxide that is commonly used in heat-insulating films, display electrodes and polymer light-emitting diodes (PLEDs). The performance of the nano-ATO dispersion determines the crucial properties of the thermal insulation glass paint, such as its transparency and its ability to block near-infrared rays. Also ATO nano dispersion has applications in LEDs, Scratch-resistance, solar energy, Conductive applications and many more.

Quick Facts

Purity	: 99.9 %
APS	: 20-80nm
Concentration	: Customer requirement
Dispersing Agent	: Organic Solvent (DMF), IPA, Ethanol, Water (ddH ₂ O)
Form	: Slurry, Suspension, Dispersion, Colloidal

Properties

- ✓ Excellent quality of electricity and optics anti fungal, anti fungicide
- ✓ Good conductivity
- ✓ Thermal insulation
- ✓ Self lubricant
- ✓ Catalysts

Applications

- ✓ Industry for coating
- ✓ Optoelectronic display device
- ✓ Transparent electrode
- ✓ Solar battery
- ✓ Liquid crystal display
- ✓ Catalysis
- ✓ Coatings and materials, can greatly improve wear and scratch resistance.
- ✓ UV protection tool



Designed by : NANOSHEL LLC



ISO 9001:2015
CERTIFIED COMPANY

Follow us:



INTELLIGENT MATERIALS PVT LTD
Derabassi
Punjab (140507)
INDIA

+91 9779 550077, 9779238252

NANOSHEL UK LIMITED
Chapel House,
Chapel St Cheshire,
CW12 4AB United Kingdom

+44 (0) 74 105 488, +44 203 137 5187

NANOSHEL LLC
3422 Old Capitol Suit
1305 Wilmington DE - 19808
United States

+1 646 470 4911

